

CLAIMS

We claim:

- 1 1. A method for transmitting a message over the Internet comprising:
2 receiving on a server a communication transmitted from a first connection device in
3 a communication medium of said first connection device;
4 converting said communication from said medium of said first connection device
5 into a communication medium of a second connection device;
6 transmitting said converted communication to said second connection device; and
7 wherein said communication medium of said first connection device and said
8 communication medium of said second connection device are different.
- 1 2. The method of claim 1 wherein the medium of said first connection device is text
2 and the medium of said second connection device is voice.
- 1 3. The method of claim 1 wherein the medium of said first connection device is voice
2 and the medium of said second connection device is text.
- 1 4. The method of claim 1 wherein said first connection device is a computer and said
2 second connection device is a telephone.
- 1 5. The method of claim 1 wherein said first connection device is a telephone and said
2 second connection device is a computer.
- 1 6. The method of claim 1 wherein said first connection device is a computer
2 connected to the Internet and the communication medium of said computer is text and
3 wherein said second connection device is a telephone connected to the public switched
4 telephone network and the communication medium of said telephone is voice.

1 7. The method of claim 1 wherein said first connection device is a telephone
 2 connected to the public switched telephone network and the communication medium of
 3 said telephone is voice and wherein said second connection device is a computer
 4 connected to the Internet and the communication medium of said computer is text.

1 8. The method of claim 1 wherein said first connection device is a computer and said
 2 second connection device is a pager.

1 9. The method of claim 1 wherein said first connection device is a computer and said
 2 second connection device is personal digital assistant.

1 10. The method of claim 1 wherein said first connection device is computer and said
 2 second connection device is cellular telephone operating the small messaging system.

1 11. The method of claim 1 wherein said first connection device is telephone and said
 2 second connection device is a pager.

1 12. The method of claim 1 wherein said first connection device is a telephone and said
 2 second connection device is a personal digital assistant.

1 13. The method of claim 1 wherein said first connection device is a telephone and said
 2 second connection device is a cellular telephone operating a small messaging system

1 14. The method of claim 1 wherein said first connection device is a personal digital
 2 assistant and second connection device is a computer.

1 15. The method of claim 1 wherein said first connection device is a personal digital
2 assistant and said second connection device is a telephone.

1 16. The method of claim 1 wherein said first connection device is a cellular telephone
2 and second connection device is a computer.

1 17. The method of claim 1 wherein said first connection device is a cellular telephone
2 and said second connection device is a telephone.

1 18. A method for transmitting a message from a telephone to a computer over the
2 Internet, comprising:
3 establishing communication over the public switched telephone network from said
4 telephone to a server on which voice recognition software resides for converting a voice
5 message to text;
6 utilizing said voice recognition software to convert a voice message spoken into
7 said telephone into a text message; and
8 connecting said text message to the Internet through a gateway which adds TCP/IP
9 protocol for transmitting said text message across the Internet to said computer as a text
10 message.

1 19. A method of transmitting a message from a computer to a telephone over the
2 Internet, comprising:
3 establishing communication over the Internet between a computer and a server on
4 which software resides for synthesizing a voice message from said text message;
5 utilizing said software to convert said text message to a voice message; and
6 connecting said voice message to the public switched telephone network for
7 transmitting said voice message over the public switched telephone network to said
8 telephone.

1 20. A process for transmitting a message from a first connection device to a second
2 connection device over the Internet, comprising:

3 establishing communication from said first connection device to a server on which
4 software resides for converting said message from a communication medium of said first
5 connection device to a communication medium of said second connection device;

6 utilizing said software to convert said message from said first communication
7 medium to said second communication medium; and

8 connecting said converted message through a gateway to a network on which said
9 second connection device is connected to transmit said converted message to said second
10 connection device.

1 21. The process of claim 20 wherein software for controlling said process resides on
2 said server, said method further comprising:

3 checking validation information included in said message from said first
4 connection device against a data base to verify that said message was generated by a user
5 authorized to use said process.

1 22. The process of claim 21 wherein said data base comprises a storage structure in
2 which a plurality of rows of data may be utilized to store information about a user, and a
3 first row is identified by an index identifier and subsequent rows of information regarding
4 said user are identified by a key referring to said first row of data.

1 23. Apparatus for transmitting a message over the Internet comprising:

2 a server for receiving a communication transmitted from a first connection device
3 in a communication medium of said first connection device;

4 means residing on said server for converting said communication from said
 5 medium of said first connection device into a communication medium of a second
 6 connection device;

7 means for transmitting said converted communication to said second connection
 8 device; and

9 wherein said communication medium of said first connection device and said
 10 communication medium of said second connection device are different.

1 24. The apparatus of claim 23 wherein the medium of said first connection device is
 2 text and the medium of said second connection device is voice.

1 25. The apparatus of claim 23 wherein the medium of said first connection device is
 2 voice and the medium of said second connection device is text.

1 26. The apparatus of claim 23 wherein said first connection device is a computer and
 2 said second connection device is a telephone.

1 27. The apparatus of claim 23 wherein said first connection device is a telephone and
 2 said second connection device is a computer.

1 28. The apparatus of claim 23 wherein said first connection device is a personal digital
 2 assistant and said second connection device is a telephone.

1 29. The apparatus of claim 23 wherein said first connection device is a cellular
 2 telephone and second connection device is a computer.

1 30. The apparatus of claim 23 wherein said first connection device is a cellular
 2 telephone and said second connection device is a telephone.

1 31. The apparatus of claim 23 wherein said first connection device is a computer
 2 connected to the Internet and the communication medium of said computer is text and
 3 wherein said second connection device is a telephone connected to the public switched
 4 telephone network and the communication medium of said telephone is voice.

1 32. The apparatus of claim 23 wherein said first connection device is a telephone
 2 connected to the public switched telephone network and the communication medium of
 3 said telephone is voice and wherein said second connection device is a computer
 4 connected to the Internet and the communication medium of said computer is text.

1 33. The apparatus of claim 23 wherein said first connection device is a computer and
 2 said second connection device is a pager.

1 34. The apparatus of claim 23 wherein said first connection device is a computer and
 2 said second connection device is personal digital assistant.

1 35. The apparatus of claim 23 wherein said first connection device is computer and said
 2 second connection device is cellular telephone operating the small messaging system.

1 36. The apparatus of claim 23 wherein said first connection device is telephone and
 2 said second connection device is a pager.

1 37. The apparatus of claim 23 wherein said first connection device is a telephone and
 2 said second connection device is a personal digital assistant.

1 38. The apparatus of claim 23 wherein said first connection device is a telephone and
 2 said second connection device is a cellular telephone operating a small messaging system

1 39. The apparatus of claim 23 wherein said first connection device is a personal digital
2 assistant and second connection device is a computer.

1 40. Apparatus for transmitting a message from a first connection device to a second
2 connection device over the Internet, comprising:

3 a server on which software resides for converting said message from a
4 communication medium of said first connection device to a communication medium of
5 said second connection device;

6 means for establishing communication to said server from said first connection
7 device; and

8 a gateway for connecting a message converted by said software to a network on
9 which said second connection device is connected to transmit said converted message to
10 said second connection device.

1 41. The apparatus of claim 40 further comprising:

2 a data base having a storage structure in which a plurality of rows of data are
3 utilized to store information about a user, and a first row is identified by an index identifier
4 and subsequent rows of information regarding said user are identified by a key referring to
5 said first row of data; and

6 means for checking validation information included in said message from said
7 first connection device against said data base to verify that said message was generated by
8 a user authorized to use said apparatus.